

Table of Contents

Introduction	i
I. The Need for Stormwater Management	iii
II. Stormwater Management Standards	vi
III. Planning and Design.....	x
 1.0 Policy and Permit Requirements	 1-1
1.1 Purpose	1-1
1.2 Administration	1-1
1.2.1 Jurisdiction.....	1-1
1.2.2 Responsible Organizations	1-1
1.2.3 Adoption, Amendments and Revisions	1-1
1.2.4 Overview of Requirements	1-1
1.2.5 Review and Acceptance	1-6
1.2.6 Interpretation	1-6
1.2.7 Variances.....	1-6
1.2.8 Appeals.....	1-7
1.2.9 Inspections, Enforcement and Penalties.....	1-7
1.3 Engineering Review Process and Requirements	1-7
1.3.1 Landscape and Grading Permits.....	1-9
1.3.2 Building Permit Application Pre-submittal	1-9
1.3.3 Development Review Committee or Land Use Plan Submittals	1-9
1.3.4 Sufficiency Review	1-9
1.3.5 Pre-Application Meeting	1-9
1.3.6 Building Permit Application Content and Referrals	1-10
1.3.7 Engineering Department Requirements	1-10
1.3.8 Grading and Drainage Plan and Report.....	1-11
1.3.9 Survey Requirements.....	1-11
1.3.10 Construction Management Plan	1-11
1.3.11 Excavation Stabilization Requirements.....	1-12
1.3.12 Floodplain Requirements	1-12
1.3.13 Mudflow Analysis.....	1-12
1.4 Engineering Inspections and Final Approvals	1-13
1.5 Requirements By Drainage Basin.....	1-13
 2.0 Rainfall	 2-1
2.1 Purpose	2-1
2.2 Overview.....	2-1
2.3 Rainfall Depth, Duration, Frequency, and Intensity	2-2
2.4 Design Rainfall Distribution	2-5
2.5 Snowmelt.....	2-8
2.5.1 Snow Compact and Snow-to-Water Ratios.....	2-8
2.5.2 Snowmelt Runoff Depth.....	2-8
2.6 Hydrology for Stormwater Quality.....	2-8
2.7 References	2-9
 3.0 Runoff	 3-1
3.1 Overview	3-1
3.2 Hydrologic Loss	3-1

3.2.1	Soil Infiltration Loss	3-1
3.2.2	Depression Loss	3-3
3.3	Selection of Runoff Prediction Methods	3-3
3.4	Rational Method	3-4
3.4.1	Watershed Area	3-5
3.4.2	Runoff Coefficients and Percent Imperviousness for Land Uses	3-5
3.4.3	Time of Concentration	3-7
3.4.3.1	Overland Flow Time	3-7
3.4.3.2	Channel Flow Time	3-8
3.4.3.3	Time of Concentration	3-8
3.4.4	Example Using Rational Method	3-10
3.4.5	Design Flow for Multiple Sub-Areas	3-11
3.4.6	Excel-based Computer Model – RATIONAL	3-13
3.5	CUHP for Rainfall-Runoff Simulation	3-13
3.5.1	Background	3-13
3.5.2	CUHP Input Parameters	3-14
3.5.2.1	Design Rainfall	3-14
3.5.2.2	Watershed Input Parameters	3-14
3.5.2.3	User Option to Reshape Unit Graph	3-15
3.5.2.4	User Option to Define Flows for Low Impact Layout	3-15
3.5.3	File Management	3-17
3.6	EPA SWMM for Rainfall-Snowmelt Runoff Simulation	3-17
3.6.1	Background	3-17
3.6.2	SWMM Input Parameters	3-17
3.6.2.1	Time Variable	3-17
3.6.2.2	Climatology	3-17
3.6.2.3	Watershed Input Parameters	3-18
3.6.3	Drainage Network for Hydrologic Routing	3-19
3.6.3.1	Conveyance Flow Routing for Channels and Pipes	3-19
3.6.3.2	Reservoir Flow Routing for Detention Basis	3-20
3.6.3.3	Flow Diversion Routing	3-20
3.7	References	3-21
4.0	Street Drainage System Design	4-1
4.1	Purpose	4-1
4.2	Design Storms	4-1
4.3	Street Classifications	4-1
4.4	Design Considerations for Street Drainage	4-2
4.5	Street-Side Swale	4-3
4.6	Gutter Design	4-4
4.6.1	Street Gutter Flow	4-4
4.6.2	Allowable Street Hydraulic Capacity	4-6
4.7	Inlet Functions	4-6
4.7.1	Inlets	4-7
4.7.2	General Design Guidelines	4-8
4.7.3	Inlet Clogging	4-9
4.7.4	Design Flow on Street	4-10
4.7.5	On-Grade Grate Inlet	4-10
4.7.6	In-Sump Grate Inlet	4-10
4.7.7	On-Grade Curb Opening Inlet	4-11
4.7.8	In-Sump Curb Opening Inlet	4-11
4.7.9	Slotted Inlet	4-12
4.7.10	Combination Inlet	4-12
4.8	Storm Sewers	4-13

4.8.1	Manholes.....	4-13
4.8.2	Design Procedure and Constraints.....	4-13
4.8.3	Design Flow at Manhole.....	4-14
4.8.4	Sewer Sizing – Circular, Box, and Arch Pipes.....	4-15
4.8.5	Sewer Energy and Hydraulic Grade Lines.....	4-16
4.9	References.....	4-19
5.0	Detention Basins.....	5-1
5.1	Overview and Polices	5-1
5.2	Evaluation of Detention Requirements.....	5-2
5.3	Types of Detention Basins.....	5-3
5.4	Design Considerations	5-5
5.4.1	Location	5-5
5.4.2	Basic Basin Layout.....	5-5
5.4.3	Inlet and Outlet Works.....	5-6
5.4.4	Liners.....	5-7
5.4.5	Groundwater Impacts and Baseflows	5-7
5.4.6	Tailwater Effects.....	5-8
5.4.7	Maintenance Access	5-8
5.4.8	Retaining Walls.....	5-8
5.4.9	Other Considerations	5-8
5.5	Design Procedure.....	5-8
5.6	Initial Design Detention Volumes	5-9
5.6.1	Rational Volume Method for Detention Volume	5-9
5.6.2	Design Example for Rational Volume Method	5-10
5.6.3	Hydrograph Method for Detention Volume.....	5-12
5.6.4	Example for Hydrograph Method for Detention Volume	5-13
5.7	Initial Shaping of a Storage Basin	5-14
5.8	Initial Outlet Works	5-15
5.8.1	Orifices	5-16
5.8.2	Weirs	5-17
5.8.3	Culverts	5-18
5.8.4	Spillway Sizing.....	5-20
5.9	Preliminary Design	5-20
5.10	Final Design	5-20
5.11	References.....	5-20
6.0	Floodplains.....	6-1
6.1	Overview.....	6-1
6.2	Floodplain Development Regulations	6-1
6.2.1	Jurisdictional Floodplains	6-2
6.2.2	Non-Jurisdictional Floodplains	6-2
6.2.3	City of Aspen Stream Margin	6-2
6.3	Requirements for Development in Floodplains	6-3
6.3.1	Floodplain Delineation.....	6-3
6.3.2	Hydrologic and Hydraulic Analysis.....	6-3
6.3.3	Floodplain Modifications and Map Revisions	6-4
6.3.4	Building in the Floodplain	6-4
6.3.4.1	Elevation.....	6-4
6.3.4.2	Elevation Certification.....	6-4
6.3.4.3	Critical Facilities.....	6-4
6.3.5	Flood-proofing and Certification for Non-Residential Structures.....	6-5
6.4	Acceptable and Un-acceptable uses in the Floodplain or Floodway.....	6-5

6.4.1	Storage of Materials.....	6-5
6.4.2	Permitted Uses	6-6
6.4.3	Uses Not Permitted ..	6-6
6.4.4	Utilities	6-6
6.5	Floodplains and Mudflows.....	6-6
6.6	Definitions.....	6-6
6.7	References.....	6-7
7.0	Mudflow Analysis.....	7-1
7.0	Introduction	7-1
7.1	Mudflow Analysis in Storm Drainage Master Plan	7-1
7.2	Applicability	7-1
7.3	FLO-2D Overview	7-2
7.4	Requirements for New Development and Redevelopment	7-3
7.5	References	7-4
8.0	Water Quality.....	8-1
8.1	Overview.....	8-1
8.1.1	Aspen and Roaring Fork River Water Quality	8-1
8.1.2	Priority Pollutants.....	8-4
8.1.3	Unique Challenges of High Mountain, Cold Weather Resort	8-4
8.1.4	Overall Goals of Criteria	8-5
8.1.5	Acknowledgements	8-5
8.2	Water Quality Low Impact Design Requirements	8-6
8.3	Planning and Implementation Considerations	8-9
8.3.1	Design Considerations	8-9
8.3.2	Land Use-based BMP Selection Guidance	8-11
8.3.3	BMP Selection Decision Tree.....	8-28
8.4	Design Event and Water Quality Capture Volume Requirements	8-29
8.4.1	Calculating Effective Imperviousness	8-31
8.4.2	WQCV and Effective Imperviousness Example	8-32
8.5	Structural BMPs	8-36
8.5.1	Runoff Reduction/Conveyance BMPs	8-36
8.5.1.1	Minimizing Directly Connected Impervious Area (MDCIA) ..	8-36
8.5.1.2	Grassed Swales.....	8-36
8.5.1.3	Grass Buffers (GB).....	8-42
8.5.1.4	Pervious Pavement (PP).....	8-47
8.5.1.5	Green Roofs (GR)	8-66
8.5.1.6	Constructed Wetlands Channels (CWC)	8-70
8.5.2	Street BMPs/Sediment Traps.....	8-74
8.5.3	Storage Volume BMPs	8-79
8.5.3.1	Bioretention and Rain Gardens	8-79
8.5.3.2	Pervious Pavement Detention.....	8-88
8.5.3.3	Extended Detention Basin.....	8-88
8.5.3.4	Sand Filter Extended Detention Basin.....	8-95
8.5.3.5	Modular Suspended Pavement System	8-100
8.5.3.6	Constructed Wetland Basin.....	8-106
8.5.4	Sub-surface BMPs	8-112
8.5.4.1	Subsurface Sedimentation/Filtration Vaults	8-112
8.5.4.2	Dry Wells	8-115
8.5.4.3	Proprietary Underground Treatment Devices.....	8-121
8.6	References.....	8-105

Tables

Table 1.1 General Requirements for Minor and Major Projects.....	1-3
Table 2.1 Monthly Statistics for Temperature and Precipitation in Aspen.....	2-2
Table 2.2 Rainfall Intensity-Duration-Frequency in Aspen, Colorado	2-2
Table 2.3 Two-Hour Incremental Rainfall Depths for Aspen	2-6
Table 2.4 Two-Hour Cumulative Rainfall Distributions for Aspen	2-6
Table 3.1 Infiltration Rates for Different Soil Groups.....	3-3
Table 3.2 Depression Losses for Various Land Uses	3-3
Table 3.3 Conveyance Coefficients for SCS Upland Method	3-8
Table 3.4 Parameters for Multiple Subareas.....	3-12
Table 3.5 Monthly Evaporation Rates inch/day.....	3-18
Table 3.6 Flow Diversion at Street Inlet	3-21
Table 4.1 Minor and Major Street Systems Design Return Periods and Allowable Spread	4-2
Table 4.2 Clogging Factors for Inlet Design	4-9
Table 5.1 Detention Volume by Rational Volume Method	5-11
Table 5.2 Preliminary Storage Volume-Outflow Curve by Hydrograph Method.....	5-14
Table 5.3 Bend Loss Coefficients.....	5-20
Table 8.1 Urban Runoff Pollutants	8-2
Table 8.2 Cold Climate and Physiographic Design Challenges in Aspen.....	8-5
Table 8.3 Land Use Types for Water Quality Planning and Associated City Zoning	8-11
Table 8.4 Land Use Type Characteristics	8-13
Table 8.5 Development Types and Applicable BMPs	8-14
Table 8.6 Maintenance Recommendations for Grassed Swales	8-39
Table 8.7 Maintenance Recommendations for Grass Buffers	8-46
Table 8.8 Maintenance Recommendations for Modular Block Pervious Pavement	8-64
Table 8.9 Maintenance Recommendations - Cobblestone Block Pervious Pavement	8-64
Table 8.10 Maintenance Recommendations - Reinforced Grass Pervious Pavement	8-65
Table 8.11 Maintenance Recommendations for Constructed Wetland Channels	8-73
Table 8.12 Maintenance Recommendations for Bioretention	8-87
Table 8.13 Extended Detention Basin Maintenance Considerations	8-95
Table 8.14 Maintenance Recommendations - Sand Filter Extended Detention Basin	8-99
Table 8.15 Maintenance Recommendations for Constructed Wetlands Basin	8-110
Table 8.16 Maintenance Recommendations for Underground Sand Filters	8-113

Figures

Figure 1.1 City of Aspen Stormwater System Carrying the 10-year Flow.....	1-5
Figure 1.2 City of Aspen Drainage Basins	1-15
Figure 2.1 IDF Curves for Aspen, Colorado	2-4
Figure 3.1 Soil Map for Aspen, Colorado	3-2
Figure 3.2 Runoff Coefficients for NRCS Hydrologic Soil Group B.....	3-6
Figure 3.3 Runoff Coefficients for NRCS Hydrologic Soil Group C and D	3-7
Figure 3.4 Approximate Overland Flow Times for Small Lots.....	3-9
Figure 3.5 Example Watershed for Peak Flow Calculation.....	3-10
Figure 3.6 Layout for Multiple Subareas	3-12
Figure 3.7 Corrections on Measured Waterway Slope.....	3-15
Figure 3.8 Illustration of Cascading Flow Layout	3-16

Figure 3.9 Recommended Values for Design Variables/Snowmelt Studies	3-18
Figure 3.10 Conveyance Facilities in Urban Area	3-20
Figure 3.11 Interception of Street Inlet	3-21
Figure 4.1 Cross Pan	4-3
Figure 4.2 Typical Swale Cross-Section	4-3
Figure 4.3 Catch Type – Curb and Gutter Unit	4-4
Figure 4.4 Street and Gutter Cross Section for a Local or Collector Street	4-5
Figure 4.5 Flow Reduction Factors for Street Flow	4-6
Figure 4.6 Grate Inlet used in the City of Aspen	4-7
Figure 4.7 Curb Opening Inlet used in the City of Aspen	4-8
Figure 4.8 Trench Drain (Slotted Inlet) in the City of Aspen	4-8
Figure 4.9 Example of Curb Opening Inlet in Sump.....	4-12
Figure 4.10 Slotted Inlet	4-12
Figure 4.11 Assumptions Regarding Flow Interception by a Combination Inlet	4-13
Figure 4.12 Elliptical Sewer	4-15
Figure 4.13 Box Sewer	4-16
Figure 5.1 Detention Basins	5-6
Figure 5.2 Flow Chart for Detention Basin Design	5-9
Figure 5.3 Detention Volume Example “Bow String”	5-12
Figure 5.4 Detention Volume by Hydrograph Method.....	5-13
Figure 5.5 Pre-shaping for a Triangular Basin	5-14
Figure 5.6 Drop Box Outlet with Conduit to Release the 100-yr Flow.....	5-15
Figure 5.7 Drop Box Outlet with Overtopping Spillway to Release 100-yr Flow	5-16
Figure 5.8 Orifice Flow	5-17
Figure 5.9 Sharp and Broad-crested Weirs	5-18
Figure 5.10 V-notch Weir and Trapezoidal Weir	5-18
Figure 5.11 Outlet Culvert Hydraulics.....	5-19
Figure 7.1 a – f City of Aspen Mudflow Zones	7-6
Figure 8.1 Riparian and Instream Habitat Quality for Roaring Fork Sub-Watersheds	8-3
Figure 8.2 Ultra Urban Development Sketch	8-16
Figure 8.3 Commercial Development Sketch	8-18
Figure 8.4 Ski Area Development Sketch	8-19
Figure 8.5 Typical Residential Street Biofiltration Planter	8-21
Figure 8.6 Typical Urban Street Biofiltration Planters	8-21
Figure 8.7 Typical Urban Street Biofiltration Planters	8-21
Figure 8.8 Typical Residential Street Permeable Pavers	8-21
Figure 8.9 Campus and Institutional Development Sketch	8-23
Figure 8.10 Medium/ Low-Density Residential Development Sketch	8-25
Figure 8.11 Park Development Sketch	8-27
Figure 8.12 BMP Decision Tree	8-28
Figure 8.13 Aspen Water Quality Capture Volume	8-30
Figure 8.14 Imperviousness Adjustments for Level 1 and 2 MDCIA.....	8-33
Figure 8.15 Imperviousness Adjustments Example	8-34
Figure 8.16 Aspen Water Quality Capture Volume Example	8-35
Figure 8.17 Grassed Swale	8-36
Figure 8.18 Grassed Swale	8-36
Figure 8.19 Grassed Swale Typical Sections and Profile	8-40
Figure 8.20 Typical Grass Swale Design Sketch	8-41
Figure 8.21 Grass Buffer	8-42
Figure 8.22 Grass Buffer	8-42
Figure 8.23 Example Grass Buffer Lawn	8-44
Figure 8.24 Typical Grass Buffer (GB)	8-45

Figure 8.25 Grass Buffer Design Sketch.....	8-46
Figure 8.26 Modular block permeable pavement.....	8-47
Figure 8.27 Modular block permeable pavement.....	8-47
Figure 8.28 Recommended Effective Percent Imperviousness for PPS.....	8-52
Figure 8.29 Modular Block Pavement	8-53
Figure 8.30 Cobblestone Block Pavement	8-54
Figure 8.31 Typical Pervious Pavement Cross Section	8-55
Figure 8.32 Membrane Liner/Concrete Connection Detail	8-56
Figure 8.33 Typical Reinforced Grass Pervious Pavement Cross Section.....	8-59
Figure 8.34 Typical Aggregate Turf Pervious Pavement Cross Section	8-60
Figure 8.35 Green Roof.....	8-66
Figure 8.36 Green Roof.....	8-66
Figure 8.37 Green Roof Layers	8-68
Figure 8.38 Man-made Constructed Wetland Channels	8-70
Figure 8.39 Constructed Wetland Channel Typical Plan and Profile	8-73
Figure 8.40 Bioretention Planters	8-74
Figure 8.41 In-street Sediment Trap Conceptual Design Sketch - Residential.....	8-76
Figure 8.42 In-street Sediment Trap Conceptual Design Sketch – Urban	8-77
Figure 8.43 Parking Example	8-78
Figure 8.44 Parking Example	8-78
Figure 8.45 Bioretention Planter.....	8-79
Figure 8.46 Bioretention Area.....	8-79
Figure 8.47 Rain Gardens	8-79
Figure 8.48 Typical Bioretention Section.....	8-82
Figure 8.44 Bioretention Cross Sections.....	8-83
Figure 8.48 No Infiltration Sections	8-84
Figure 8.49 Extended Detention Basin Typical Plan and Profile.....	8-86
Figure 8.50 Extended Detention Basin Design Sketch	8-87
Figure 8.51 Full Infiltration Sections	8-85
Figure 8.52 Typical Bioretention Design Sketch	8-86
Figure 8.53 Planter in Aspen	8-87
Figure 8.54 Planter in Aspen	8-87
Figure 8.55 Typical Extended Detention Basin	8-88
Figure 8.56 Extended Detention Basin.....	8-88
Figure 8.57 Extended Detention Basin Typical Plan & Profile	8-93
Figure 8.58 Extended Detention Basin Design Sketch	8-94
Figure 8.59 Turf Grass Over a Sand Filter Extended Detention Basin	8-95
Figure 8.60 Sand Filter Typical Plan and Profile	8-98
Figure 8.61 Right of Way Planting Scenario 1	8-102
Figure 8.62 Right of Way Planting Scenario 1B.....	8-103
Figure 8.63 MSPS with Inlet	8-104
Figure 8.64 Large Wetland	8-106
Figure 8.65 Small Wetland	8-106
Figure 8.66 Constructed Wetland Basin – Plan and Cross Section.....	8-111
Figure 8.67 Typical Constructed Wetland Basin Design Sketch.....	8-112
Figure 6.68 Typical Plan and Profile for Underground Sand Filter.....	8-114
Figure 8.69 Typical WQCV Dry Well	8-119
Figure 8.70 Typical “Detention Only” Dry Well.....	8-120

Appendices

Appendix A: Submittal Checklists

Appendix B: Equations and Examples

Appendix C: Worksheets

Appendix D: Development Permit and Elevation Certificate

Appendix E: Plant Selection Guidance